



MATERIAL SAFETY DATA SHEET accordingly to Regulation (EC) No.1907/2006

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Etelec S.p.a. Via D. De Roberto, 44 80143 Naples – Italy
Tel. +39 081 5846610 Fax +39 081 2587166

Product Name: FLO- 0950

Product Use: Pulling cable lubricant.

SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

This product contains no reportable hazardous components under n°1907/2006. There are no OSHA or ACGIH threshold limit values for the product or any of its ingredients.

SECTION 3 – HAZARDOUS IDENTIFICATION

EMERGENCY OVERVIEW: Not classified as hazardous material in accordance with Directive 1272/2008 (CLP).
There are not special instructions for hazard to endanger human health and the environment

SECTION 4 – FIRST AID MEASURES

Eye Contact: Flush eyes with a large quantity of water for 15 minutes. If irritation continues, seek medical attention.

Skin Contact: If skin becomes irritated, wash area thoroughly with soap and water. If irritation continues, seek medical attention.

Inhalation: No first aid expected to be required. Not an inhalation hazard.

Ingestion: Ingestion is not an expected route of entry in industrial or commercial uses. No first aid expected to be required. If difficulties arise, contact a physician.

SECTION 5 – FIRE FIGHTING MEASURES

Flash Point: No flash via TCC.
Flammable Limits: Product is not flammable.
Extinguishing Media: Does not apply.
Special Procedures: Does not apply.

ETELEC S.p.A.

Via D. de Roberto, 44 - 80143 NAPOLI - Tel. +39 0815846610 +39 0815848659 - Fax +39 0812587166
Capitale 500.000,00 € i.v.- R.I. NA 03414101216 - REA: NA 620357 - C.F. 03414101216 - P. IVA: IT 01438530394
www.etelec.it etelec@etelec.it





Unusual Hazards: Sealed container can build up pressure when exposed to high heat. Cool containers with water.

Hazardous Decomposition Products: High temperature steam, potentially carbon monoxide and carbon dioxide.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

FLO-950 Lubricant is extremely slippery. It should be washed, swept, or squeegeed from floor using wet mops.

Oxidizing agents, such as household bleach, can be used to eliminate the slippery character. Outside, spills should be covered with sand, dirt, gravel or calcium chloride.

SECTION 7 – HANDLING AND STORAGE

Keep product containers closed when not in use. Avoid spills and clean them up immediately when they occur. Product is very slippery.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection: Normal ventilation adequate.

Protective Gloves: For repeated or prolonged skin contact of sensitive individuals, impermeable gloves are recommended to prevent possible irritation.

Eye Protection: Safety glasses recommended.

HYGIENIC PRACTICES: Wash hands thoroughly before eating, smoking or using the toilet facility. Do not smoke in any chemical handling or storage area. Food or beverages should not be consumed anywhere this product is handled or stored. Wash thoroughly after handling.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Opaque, light-blue viscous gel with no odor.
Vapor Pressure:	18mm @ 72°F
Specific Gravity (H₂O = 1):	1.01
Percent Volatiles (Weight):	97%
Viscosity:	70,000-110,000 cps. @ 10 rpm.
VOC Content:	0 gms/L
Boiling Point:	212°F (100°C)
Ignition Temperature:	None
Vapor Density (Air = 1):	0.9 to 1.1
Solubility in Water:	Infinite
Percent Water (Weight):	97%
PH:	6.5 to 8.5

ETELEC S.p.A.

Via D. de Roberto, 44 - 80143 NAPOLI - Tel. +39 0815846610 +39 0815848659 - Fax +39 0812587166
Capitale 500.000,00 € i.v.- R.I. NA 03414101216 - REA: NA 620357 - C.F. 03414101216 - P. IVA: IT 01438530394
www.etelec.it etelec@etelec.it





SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable **Hazardous Polymerization:** Will not occur.
Incompatibility: Avoid materials which react with water.

SECTION 11 – TOXICOLOGICAL PROPERTIES

The product can be used without danger for human health.

SECTION 12 – ECOLOGICAL INFORMATION

Not regarded as dangerous to the environment .

SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose of product in accordance with local, county, state, and federal regulations.
FLO-950 Lubricant is not considered hazardous waste under RCRA.

SECTION 14 – TRANSPORTATION INFORMATION

DOT Hazard Class: Not Applicable **DOT Shipping Name:** Not Applicable
For domestic purposes, this product is not defined or designated as a hazardous material .

SECTION 15 – LABELLING

Accordingly to Directive CE 1999/45/CE

SECTION 16 – OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) N° 1907/2006 (Regulation (EU) N° 453/2010, Regulation (EC) N° 2015/830)

Modifications related to the previous security card which concerns the ways of managing risks. :

Non-applicable

Texts of the legislative phrases mentioned in section 3.:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) n° 1272/2008:

Non-applicable

Classification procedure:

Non-applicable

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

ETELEC S.p.A.

Via D. de Roberto, 44 - 80143 NAPOLI - Tel. +39 0815846610 +39 0815848659 - Fax +39 0812587166
Capitale 500.000,00 € i.v.- R.I. NA 03414101216 - REA: NA 620357 - C.F. 03414101216 - P. IVA: IT 01438530394
www.etelec.it etelec@etelec.it



Principal bibliographical sources:

<http://esis.jrc.ec.europa.eu>

<http://echa.europa.eu>

<http://eur-lex.europa.eu>



Abbreviations and acronyms:

- ADR: European agreement concerning the international carriage of dangerous goods by road
- IMDG: International maritime dangerous goods code
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organisation
- COD: Chemical Oxygen Demand
- BOD5: 5-day biochemical oxygen demand
- BCF: Bioconcentration factor
- LD50: Lethal Dose 50
- CL50: Lethal Concentration 50
- EC50: Effective concentration 50
- Log-POW: Octanol–water partition coefficient
- Koc: Partition coefficient of organic carbon

The information contained in this security data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this security data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -

ETELEC S.p.A.

Via D. de Roberto, 44 - 80143 NAPOLI - Tel. +39 0815846610 +39 0815848659 - Fax +39 0812587166
Capitale 500.000,00 € i.v.- R.I. NA 03414101216 - REA: NA 620357 - C.F. 03414101216 - P. IVA: IT 01438530394
www.etelec.it

etelec@etelec.it

